



ArraystormTM
Sense the future



CREATING INTELLIGENT LIGHTING

India's No.1 IoT Lighting Brand



ArraystormTM
Sense the future



ArraystormTM

Sense the future

AWARDS & RECOGNITIONS



"Top 1000 High growth Companies Asia Pacific". Ranked 152.- Awarded by Financial Times



"Brand Of the Year" Category: Lighting
Awarded by: Silicon India Publication.



"Brand Of The Year". Category: Workspace
and Commercial LED lighting - Awarded
By WCRC





ISO 9001:2015 Certified for
Manufacturing, Design and
Sales Process.




RESEARCH & DEVELOPMENT

- ✓ PRODUCT DESIGN
- ✓ EMBEDDED FIRMWARE DEVELOPMENT
- ✓ SOFTWARE & IoT PLATFORM





SMT MACHINE FROM JAPAN



PHOTOMETRIC LAB FROM DENMARK

MANUFACTURING

At Arraystorm we are committed to quality manufacturing. Ongoing investment in people, infrastructure and production technology keep our product ranges at the forefront of the market requirements.



ISO 9001 - 2015
Manufacturing, Sales and R&D

a RR Global Product





ARRAYSTORM INDUSTRIAL LIGHTING


a RR Global Product






DESIGN YOUR WAREHOUSE





DESIGN YOUR RETAIL SPACE





DESIGN YOUR WORKSHOP



DESIGN YOUR SHOWROOM



a RR Global Product





DESIGN YOUR CLEAROOMS



Industrial Product

Highbay Series

Flood Light Series

Industrial Baton Series

Trunking Series

Well Glass Series

Bulk Head Series

Cleanroom Series

Street Lights Series



a RR Global Product

 **Arraystorm**TM
Sense the future




BAYSTORM

Suspended Industrial LED-Highbay Luminaire

ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES

40-50W



80-100W



120-150W



160-200W



- CONTEMPORARY DESIGN : MODULAR, CONTEMPORARY AND EXCLUSIVE DESIGN.
- MODULAR SCALABLE DESIGN – 40 W TO 200 W
- RUGGED AND RELIABLE : TOUGH PRESSURE DIE CAST ALUMINIUM WITH IP 65
- HIGH EFFICIENCY : 120 LM/W UPGRADABLE UPTO 140 LM/W
- EASE OF MAINTENANCE: WITH ROBUST DESIGN OF DRIVERS & SUPERIOR LED'S HELPS IN LOW MAINTENANCE & COST SAVING
- HIGH ELECTRICAL PERFORMANCE DRIVER : ROBUST INDUSTRIAL GRADE DRIVER TO WITHSTAND HARSH ELECTRICAL CONDITIONS. 5 YEARS WARRANTY
- PRECISION GLASS LENS: WHICH DOES NOT FADE, YELLOW, AVAILABLE IN 60° TO 90°
- AIR FLOW TECHNOLOGY : EFFICIENT THERMAL HEAT MANAGEMENT SYSTEM BY AIR FLOW TECHNOLOGY WHICH OPERATES FROM -25° TO 50° C

DESIGN REGISTERED



*Conditions Apply



a RR Global Product

 **Arraystorm**TM
Sense the future

ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES

ROBUST AND RELIABLE

Tough pressure die cast aluminium with airflow technology for easy cool down in IP65 rating



DESIGN REGISTERED



*Conditions Apply



a RR Global Product

 **Arraystorm**TM
Sense the future

ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES

HIGH EFFICACY

Energy efficient COB LEDs delivering system efficacy of 120 lm/w. Upgradable upto 140 lm/w



DESIGN REGISTERED




*Conditions Apply

ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES

PRECISION OPTICS

Glass made of non-yellowing premium quality silicon; provides uniformity and lux level

Available in 60° and 90° beam angles



DESIGN REGISTERED





*Conditions Apply

a RR Global Product



ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES



EASE OF MAINTENANCE

With robust design of drivers & superior LED's helps in low maintenance & cost saving

DESIGN REGISTERED




*Conditions Apply

a RR Global Product

 **Arraystorm**TM
Sense the future

ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES



EFFICIENT THERMAL HEAT MANAGEMENT SYSTEM

By Air flow technology which operates from -25° to 50° C

DESIGN REGISTERED



*Conditions Apply




a RR Global Product

 **Arraystorm**[™]
Sense the future

ARRAYSTORM BAYSTORM (HIGHBAY)-1, 2, 3 & 4 SERIES

HIGH ELECTRICAL PERFORMANCE DRIVER

Robust industrial grade
driver to with-stand harsh
electrical conditions



DESIGN REGISTERED



*Conditions Apply

a RR Global Product

 **Arraystorm**TM
Sense the future

FLOODSTORM – COB FLOODLIGHTS

Suspended Industrial SMD LED-Highbay Luminaire

ARRAYSTORM FLOODSTORM (FLOOD LIGHT)-5, 6, 7 & 8 SERIES

40-50W




80-100W



120-140W



160-200W



- CONTEMPORARY DESIGN : MODULAR, CONTEMPORARY AND EXCLUSIVE DESIGN.
- MODULAR SCALABLE DESIGN – 40 W TO 200 W
- RUGGED AND RELIABLE : TOUGH PRESSURE DIE CAST ALUMINIUM WITH IP 65
- HIGH EFFICIENCY : 120 LM/W UPGRADABLE UPTO 140 LM/W
- EASE OF MAINTENANCE: WITH ROBUST DESIGN OF DRIVERS & SUPERIOR LED'S HELPS IN LOW MAINTENANCE & COST SAVING
- HIGH ELECTRICAL PERFORMANCE DRIVER : ROBUST INDUSTRIAL GRADE DRIVER TO WITHSTAND HARSH ELECTRICAL CONDITIONS. 5 YEARS WARRANTY
- PRECISION GLASS LENS: WHICH DOES NOT FADE, YELLOW, AVAILABLE IN 60° TO 90°
- AIR FLOW TECHNOLOGY : EFFICIENT THERMAL HEAT MANAGEMENT SYSTEM BY AIR FLOW TECHNOLOGY WHICH OPERATES FROM -25° TO 50° C

DESIGN REGISTERED



*Conditions Apply

a RR Kabel Company

 **Arraystorm**TM
Sense the future

BAYSTORM SMD

Suspended Industrial SMD LED-Highbay Luminaire

80-100 -120W



150 W





EN

200 W

a RR Global Product

FLOODSTORM SMD FLOODLIGHTS

Suspended Industrial SMD LED-Highbay Luminaire

MINIMALISTIC

Contemporary Design : slim profile

HIGH EFFICACY

Energy efficient SMD LEDs upto 140 lm/w

EFFICIENT HEAT MANAGEMENT SYSTEM

By Air flow technology which operates from -25° to 50° C



80 W



100W



120W



150W

EASE OF MAINTENANCE

With robust design of drivers & superior LED's helps in low maintenance & cost saving

ROBUST AND RELIABLE

Tough pressure die cast aluminium of minimal weight 2KG with **IP65** rating

MINIMALISTIC

Contemporary Design : slim profile

HIGH EFFICACY

Energy efficient SMD LEDs upto 140 lm/w

EFFICIENT HEAT MANAGEMENT SYSTEM

By Air flow technology which operates from -25° to 50° C



180W/200W



250W

150W

EASE OF MAINTENANCE

With robust design of drivers & superior LED's helps in low maintenance & cost saving

ROBUST AND RELIABLE

Tough pressure die cast aluminium of minimal weight 2KG with **IP65** rating

a RR Global Product

 **Arraystorm**TM
Sense the future

MINIMALISTIC

Contemporary Design : Round slim profile

HIGH EFFICACY

Energy efficient SMD LEDs upto 140 lm/w

EFFICIENT HEAT MANAGEMENT SYSTEM

By Air flow technology which operates from -25° to 50° C



300 W



400W

EASE OF MAINTENANCE

With robust design of drivers & superior LED's helps in low maintenance & cost saving

ROBUST AND RELIABLE

Tough pressure die cast aluminium of minimal weight 2KG with **IP65** rating

150W

MINIMALISTIC

Contemporary Design : slim profile

ROBUST AND RELIABLE

Tough pressure die cast aluminium of minimal weight 2KG with **IP65** rating

EASE OF MAINTENANCE

With robust design of drivers & superior LED's helps in low maintenance & cost saving



EFFICIENT HEAT MANAGEMENT SYSTEM

By Air flow technology which operates from -25° to 50° C

HIGH EFFICACY

Energy efficient SMD LEDs upto 140 lm/w


SABER INDUSTRIAL BATON

Suspended Industrial SMD LED INDUSTRIAL BATON Luminaire

ARRAYSTORM INDUSTRIAL SABER SERIES

DESIGN REGISTERED

- CONTEMPORARY DESIGN : MODULAR, CONTEMPORARY AND EXCLUSIVE DESIGN.
- HIGH EFFICIENCY : 100 LM/W
- EASE OF MAINTENANCE: WITH ROBUST DESIGN OF DRIVERS & SUPERIOR LED'S HELPS IN LOW MAINTENANCE & COST SAVING
- HIGH ELECTRICAL PERFORMANCE DRIVER : ROBUST INDUSTRIAL GRADE DRIVER TO WITHSTAND HARSH ELECTRICAL CONDITIONS. 5 YEARS WARRANTY
- ALUMINIUM HOUSING WITH OPAL DIFFUSER
- SUITABLE FOR DIFFERENT MOUNTINGS - SURFACE / WALL / SUSPENDED / TRUNKING
- APPLICABLE FOR WAREHOUSES, INDUSTRIES, COLD STORAGES, UNDERGROUND PARKINGS





20-30-40 W



20 W

SABER INDUSTRIAL IP 65 BATON

Suspended Industrial SMD LED INDUSTRIAL BATON Luminaire



KEY FEATURES

COLOR TEMPERATURE	3000K / 4000K / 5700K
CRI	> 80
INPUT VOLTAGE	150 V ~270 V
INPUT FREQUENCY	50 Hz
BEAM ANGLE	120°
POWER FACTOR	> 0.95
THD	< 10%
DIMMING	Analog / DALI / Wireless
CEILING	True Ceiling
MOUNTING	Suspended / Surface Mounted / Trunking
IP RATING	IP65

PRODUCT CODE	WATTAGE	LUMEN OUTPUT	LENGTH	HEIGHT
ASBT9005SFXIN020	20	2000	588 mm	34.5 mm
ASBT9005SFXIN040	40	4000	1175 mm	34.5 mm

APPLICATIONS



INDUSTRY



COMMERCIAL




WAREHOUSE




PARKING

DIMENSIONS



PHOTOMETRIC




XX – 30 for 3000K, 40 for 4000K, 57 for 5700K
All dimensions in mm

SABER INDUSTRIAL TRUNK

Suspended Industrial SMD LED INDUSTRIAL TRUNK

ARRAYSTORM MAXIM TRUNKING –SERIES



- AVAILABLE IN 1.2MTRS | 1.75 MTRS | 3.5 MTRS STANDARD LENGTH
- EASE OF MAINTENANCE: SNAPFIT BATTEN AND COVER ON TO THE TRUNK, SAFETY CABLE DURING MAINTENANCE
- ALUMINIUM HOUSING WITH SPACER COVER
- MAXIM TRUNKING CAN ACCOMMODATE 3 TO 9 WIRES FOR SINGLE PHASE / 3 PHASE / EMERGENCY AS WELL AS DIMMING WIRES.
- SUITABLE FOR DIFFERENT MOUNTINGS - SURFACE / WALL / SUSPENDED
- APPLICABLE FOR WAREHOUSES, INDUSTRIES, COLD STORAGES, UNDERGROUND PARKINGS

BOTTOM OPENING CLEANROOM

BOTTOM OPENING LED SMD CLEANROOM LUMINAIRES

ARRAYSTORM EPIC- BOTTOM OPENING CLEANROOM (BOCR)

BOTTOM OPENING CEANROOM (BOCR)

Frame Design- Screwless/ Screw
2' X 2'

Powder coated Mild steel frame


Stainless Steel (SS) FRAME

Different Wattages


36W
45W
60W
80W
100W
120W
140W

ARRAYSTORM EPIC- BOTTOM OPENING CLEANROOM (BOCR)


1' X 1'



2' X 2'




2' X 4'



1' X 2'




1' X 4'




ARRAYSTORM EPIC- BOTTOM OPENING CLEANROOM (BOCR)

Powder coated frame




Stainless Steel frame



Powder coated Screwless frame



Stainless Steel Screwless frame



ARRAYSTORM EPIC- BOTTOM OPENING CLEANROOM (BOCR)

Feature and Benefits

- ✓ Rugged Drivers
- ✓ Operating temperature: -10° C to +45° C
- ✓ Operating voltage range: 140 V - 270 V

High lumen efficacy of
>110 lm/W

Front openable

CRCA Housing

Powder coated to white colour
Or SS frame.

✓ IP 65

High grade Polycarbonate diffuser-
Unbreakable—Uniform Light

a RR Global Product



TOP OPENING CLEANROOM

TOP OPENING LED SMD CLEANROOM LUMINAIRES

ARRAYSTORM EPIC- TOP OPENING CLEANROOM (BOCR)

TOP OPENING CEANROOM
(TOCR)




Powder coated Mild steel frame

Stainless Steel (SS) FRAME

Different Wattages

36W
45W
60W
80W
100W
120W
140W

ARRAYSTORM EPIC- TOP OPENING CLEANROOM (BOCR)



ARRAYSTORM EPIC- TOP OPENING CLEANROOM (BOCR)

Feature and Benefits

Top openable for ease of service.

High lumen efficacy of
>110 lm/W

CRCA Housing
Powder coated to white colour
Or SS frame.


✓ Rugged Drivers

✓ Operating temperature:-10° C
to +45° C

✓ Operating voltage range: 140 V
- 270 V

✓ IP 65

High grade Polycarbonate diffuser-
Unbreakable—Uniform Light



a RR Global Product



BAYSTAR WELLGLASS

Suspended Industrial SMD LED-Well Glass Luminaire

ARRAYSTORM BAYSTAR-1 (WELLGLASS) SERIES



30 W | 40 7/ 0 W

BAYSTAR BULKHEAD

Suspended Industrial SMD LED BULK Head Luminaire

ARRAYSTORM BAYSTAR-2 (BULKHEAD) SERIES

- CONTEMPORARY DESIGN : CONTEMPORARY AND EXCLUSIVE DESIGN.
- RUGGED AND RELIABLE : TOUGHEND POLYCARBONATE HOUSING AND DIFFUSER WITH IP 65 RATING
- HIGH EFFICIENCY : 90 LM/W
- EASE OF MAINTENANCE: WITH ROBUST DESIGN OF DRIVERS & SUPERIOR LED'S HELPS IN LOW MAINTENANCE & COST SAVING
- HIGH ELECTRICAL PERFORMANCE DRIVER : ROBUST INDUSTRIAL GRADE DRIVER TO WITHSTAND HARSH ELECTRICAL CONDITIONS. 5 YEARS WARRANTY



10 W



*Conditions Apply

OPTIMUS STREETLIGHTS

Suspended Industrial SMD LED BULK Head Luminaire

ARRAYSTORM OPTIMUS (STREET LIGHT) –SERIES

- CONTEMPORARY DESIGN : CONTEMPORARY AND EXCLUSIVE DESIGN.
- MODULAR SCALABLE DESIGN – 40 W TO 200 W
- RUGGED AND RELIABLE : TOUGH PRESSURE DIE CAST ALUMINIUM WITH IP 65
- HIGH EFFICIENCY : 140 LM/W
- EASE OF MAINTENANCE: WITH ROBUST DESIGN OF DRIVERS & SUPERIOR LED'S HELPS IN LOW MAINTENANCE & COST SAVING
- HIGH ELECTRICAL PERFORMANCE DRIVER : ROBUST INDUSTRIAL GRADE DRIVER TO WITHSTAND HARSH ELECTRICAL CONDITIONS. 5 YEARS WARRANTY
- PRECISION LENS WITH BATWING DISTRIBUTION
- EFFICIENT THERMAL HEAT MANAGEMENT SYSTEM BY AIR FLOW TECHNOLOGY WHICH OPERATES FROM -25° TO 45° C



a RR Global Product



ARRAYSTORM OPTIMUS (STREET LIGHT) –SERIES



50/ 60 W



80/ 100 W



120W

ARRAYSTORM OPTIMUS (STREET LIGHT) –SERIES



150W



200/ 240 W

ARRAYSTORM OPTIMUS (STREET LIGHT) –SERIES



30 W



36 W



50 W

Post Top



20W



30/40W



50/60/70W

FLAMEPROOF RANGE

Suspended Industrial SMD LED-Well Glass Luminaire

Flame proof lights are high resistance LED Lights which can work in areas which are

- ✓ hazardous areas,
- ✓ corrosive in nature
- ✓ ambient temperatures are high
- ✓ prone to fire.
- ✓ explosive gases such as Hydrogen or HydroCarbons- Methane and Propane are present.

Types of Flame Proof

- Flame proof well glass fixture
- Flame proof flood lights
- Flame proof Streetlights
- Flame Proof Reactor Lights
- Flame proof Clean room

CERTIFICATIONS: CIMFR, PESO, BIS Certified Products

FLAMEPROOF WELLGLASS

Flame proof COB LED-Well Glass Luminaire

ARRAYSTORM BAYSTAR-1 (WELLGLASS) SERIES

Well glass

CODE :	FAFLPWG0230	FAFLPWG0240	FAFLPWG0250
POWER :	30	40	50
IP :	65	65	65



FLAMEPROOF CLEANROOM

Flame proof COB LED-Cleanroom Luminaire

ARRAYSTORM BAYSTAR-1 (Cleanroom) SERIES

Clean room panel

2Yrs
Warranty

CODE : FAFLPCR01W11130 FAFLPCR01W11140 FAFLPCR01W11150
POWER : 30 40 50
IP : 65 65 65



CODE : FAFLPCR01W12130 FAFLPCR01W12140 FAFLPCR01W12150
POWER : 30 40 50

FAFLPCR01W122100 FAFLPCR01W12280 FAFLPCR01W12260 : CODE
100 80 60 : POWER

Clean room panel

2Yrs
Warranty

CODE : FAFLPCR01W22130 FAFLPCR01W22140 FAFLPCR01W22150
POWER : 30 40 50
IP : 65 65 65



CODE : FAFLPCR01W22230 FAFLPCR01W22280 FAFLPCR01W222100
POWER : 60 80 100

a RR Global Product

 **Arraystorm**TM
Sense the future

ARRAYSTORM BAYSTAR-1 (SS Cleanroom) SERIES

Clean room panel

**2Yrs
Warranty**

CODE : FAFLPCR02S11130 FAFLPCR02S11140 FAFLPCR02S11150
POWER : 30 40 50
IP : 65 65 65

MATERIAL : Pressure die cast aluminium enclosure

LED SIZE : 5050

CODE : FAFLPCR02S12130 FAFLPCR02S12140 FAFLPCR02S12150
POWER : 30 40 50

FAFLPCR02S122100 FAFLPCR02S12280 FAFLPCR02S12260 : CODE
100 80 60 : POWER


FLAMEPROOF FLOODLIGHT

Flame proof COB LED-Floodlight Luminaire


ARRAYSTORM BAYSTAR-1 (Flood Light) SERIES

Flood Light


CODE :	FAFLPFL01/60	FAFLPFL01/100	FAFLPFL01/150	FAFLPFL01/200
POWER :	60	100	150	200
IP :	65	65	65	65



60 W



100W



150W/ 200W

a RR Global Product

 **Arraystorm**[™]
Sense the future

FLAMEPROOF STREETLIGHTS

Flameproof LED COB Streetlights

ARRAYSTORM BAYSTAR-1 (Streetlight) SERIES

Street Light

CODE :	FAFLPSTB0150	FAFLPSTB01100
POWER :	50	100
IP :	65	65



FLAMEPROOF REACTOR LIGHT

Flame proof LED COB Reactor Light

ARRAYSTORM BAYSTAR-1 (Reactor Light) SERIES

Reactor Light

2Yrs
Warranty

CODE :	FAFLPRL01/10	FAFLPRL01/20	FAFLPRL01/40
POWER :	10	20	40
IP :	65	65	65

MATERIAL : Pressure die cast aluminium enclosure



LED SIZE : 2835.05

ARRAYSTORM BAYSTAR-1 (Linear Light) SERIES



Application areas



WAREHOUSE



INDUSTRY



RETAIL



COMMERCIAL



HEALTHCARE



EDUCATIONAL
INSTITUTES



STREETS




HIGHWAYS



OUTDOOR
PARKING




RAMPS



Commercial Product

 EPIC I	 EPITOME	 EPIC II	 EPICENTER	 ARIUM I	 ARIUM II
 ARIUM III	 ARIUM IV	 ORBIZ	 FABIA	 LINEAGE R	 LINEAGE TECHZONE
 LINEAGE S	 LINEAGE S UD	 WINGER	 FLO	 SWANK S	 SWANK R
 SWANK SQUARE	 SWANK MINI	 SWANK MINI	 OMNISENSE	 WANTAGE	 BANDSTORM
 METEOR I	 METEOR II	 METEOR III	 METEOR IV	 METEOR V	 BARNEY



ARRAYSTORM SEAL OF EXCELLENCE

Performance:

Arraystorm products are designed to deliver an awesome blend of light technology and highest energy efficiency. We believe in assured quality and promise to deliver the committed by redefining LED lighting as the best Illumination experience.

Customer Experience:

Arraystorm delivers an impeccable customer experience for complete life cycle of the product: buying, project management, delivery, post-sales and performance.

Futuristic Design:

Arraystorm is continuously inventing and innovating new products beyond imagination with a vision to “Sense The Future”.

Value for Money:

Arraystorm products integrate energy efficiency with intelligence making them great value for customers.

CLIENTELE



a RR Global Product





BANGALORE | CHENNAI | HYDERABAD | MUMBAI | PUNE | DELHI

THANK YOU



BANGALORE HEAD OFFICE:

Arraystorm Lighting Pvt. Ltd,
No. 2318, 2nd floor, Sector 1, 27th Main Road,
Opposite NIFT, HSR Layout, Bangalore - 560
066, Karnataka, India.
T: +91 80 6900 0401.

MANUFACTURING UNIT:

Arraystorm Lighting Pvt. Ltd,
Unit No. 140, 4th Phase,
Bommasandra Industrial Area,
Bangalore - 560 099, Karnataka, India.
T: +9180 6900 0402 / 6900 0403.